Approved For Release 2002/08/23 TCIA-RDE 80B01676R00010014009772

(CLASSIFICATION)

Executive Registry

62-3748/1

ACTION MEMORANDUM

OFFICE OF THE DIRECTOR

		Action Memorandum No. A - 19 Date
TO VIA SUBJECT	:	Chief, Mobilization and Military Personnel Division Deputy Director (Support), Director of Personnel Efficiency Reports on Military Personnel
REFERENC	CE:	
military officer.		From now on would you please see that efficiency reports on every er detailed to the Agency are submitted to General Carter as reviewing
	uld i	In addition, you should be aware of the fact that General Carter feels be little gradation among our assigned officers that they should brior, exemplary, and outstanding or we should get rid of them.
		(signed) Lyman B. Kirkpatrick
LBK/jrc		Lyman B. Kirkpatrick Executive Director
Distributi	on:	
_		Addressee
-	•	Exec. Dir
	1:	

SUSPENSE DATE:

(EXECUTIVE REGISTRY FILE

Approved For Release 2002/08/215 🕏 🗚 📆 😇 0 🕏 0 1676 R 0 0 0 1 0 0 1 4 0 0 97-2

CR

Executive Registry

(-2-3748

31 May 1962

MEMORANDUM FOR: Executive Director

SUBJECT: Efficiency Reports

- 1. As I have previously indicated, it is essential that we "do right" by the military personnel assigned to the Agency. I refer specifically to the Efficiency Reports rendered on them. As far as I personally am concerned, there can be little gradation amongst our assigned officers -- they are either unsatisfactory and we should get rid of them, or they are up in the superior, exemplary, and outstanding brackets. We have no more room for mediocre military officers than we do for our own mediocre staff officers.
- 2. Accordingly, I wish you would take steps for me personally to review every Efficiency Report of every military officer, regardless of Branch, that is submitted from the Agency. It might well be that Mr. McCone and I should personally associate ourselves with the reports in some areas. If this becomes too burdensome, I will let you know.

Marshall S. Carter Lieutenant General, USA Deputy Director

Distribution:

✓Orig - Adse

1 - ER

1 -

1 - DDCI

25X1